

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	282	@ad<"20020927" and (adjust\$3 chang\$3 conver \$4 adapt\$3) near4 ((data transmission bit) adj rate) near5 source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:38
L2	7	@ad<"20020927" and (adjust\$3 chang\$3 conver \$4 adapt\$3) near4 ((data transmission bit) adj rate) near5 source with transmitter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 10:39
L7	278	@ad<"20020927" and (adjust\$3 chang\$3 conver \$4 adapt\$3) near4 ((data transmission bit) adj rate) near5 transmitter not 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:35
L8	23	@ad<"20020927" and (adjust\$3 chang\$3 conver \$4 adapt\$3) near4 ((data transmission bit) adj rate) near5 source and (transmitter near4 ((data transmission bit) adj rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:36
L9	17	8 not 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:36
L10	2	@ad<"20020927" and "455"/\$.ccls. and ("near" adj field) and (transmitter near4 ((data transmission bit) adj rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:51
L11	1	@ad<"20020927" and (adjust\$3 chang\$3 conver \$4 adapt\$3) near4 ((data transmission bit) adj rate) and "455"/\$.ccls. and ("near" adj field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 12:52

L12	123	("1926327" "2658284" "2664542" "2908863" "2992325" "3406766" "3465834" "3529682" "3589454" "3653050" "3712391" "3718930" "3746106" "3853185" "3893025" "3900878" "3906504" "3907045" "3967282" "4006445" "4070625" "4119908" "4172382" "4213194" "4227405" "4245353" "4258322" "4313218" "4372398" "4387340" "4427943" "4438820" "4445578" "4452075" "4458204" "4479254" "4491785" "4495496" "4520317" "4542344" "4580288" "4593559" "4642556" "4652861" "4672321" "4674579" "4691165" "4691204" "4700142" "4709213" "4710708" "4714118" "4714888" "4736204" "4774470" "4776040" "4787463" "4791373" "4800385" "4806869" "4864293" "4867255" "4870697" "4875014" "4881083").PN. OR ("5264795").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/03 13:06
L13	5	12 and (data transmission bit) adj rate	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/03 13:06
L14	5	@ad<"20020927" and (adjust\$3 chang\$3 conver \$4 adapt\$3) near4 ((data transmission bit) adj rate) and (locator adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:11
L15	35	@ad<"20020927" and (adjust\$3 chang\$3 conver \$4 adapt\$3) near4 ((data transmission bit) adj rate) near5 transmitter same modulat\$3 not 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:18
L16	0	7 and (angle adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:22

L17	162	@ad<"20020927" and (adjust\$3 chang\$3 conver\$4 adapt\$3) near4 ((data transmission bit) adj rate) near5 source with transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:30
L18	16	17 and "455"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:30
L19	76	17 not feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:30
L20	74	17 not (feedback (fed adj back))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:31
L21	11	20 and "455"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:31
L22	0	20 and near-field	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:32
L23	0	20 and ("near" adj field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:33
L24	6	20 and coupling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:33

L25	14	@ad<"20020927" and (conver\$4) near4 ((data transmission bit) adj rate) near5 source with transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:36
L26	94	@ad<"20020927" and (conver\$4) near4 ((data transmission bit) adj rate) near5 input with transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:41
L27	2	26 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:41
L39	10	@ad<"20020927" and (conver\$4) near4 ((data transmission bit) adj rate) and "455"/\$.ccls. and conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:47
L40	0	@ad<"20020927" and (conver\$4) near4 ((data transmission bit) adj rate) near4 source and "455"/\$.ccls. and conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:49
L41	1	@ad<"20020927" and (conver\$4) near4 ((data transmission bit) adj rate) near4 source and conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/03 13:49
S1	1	10/674877	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 15:12
S2	195	@ad<"20020927" and ((adjust\$3 chang\$3) near4 ((data transmission) adj rate) near5 (quality BER (bit adj error adj rate) SNR SIR))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:09

S3	50	S2 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:09
S4	1	S3 and ("near" adj field) short-range (short adj range) near-field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:11
S5	1	S3 and ("near field" short-range (short adj range) near-field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:11
S6	1556	@ad<"20020927" and (conductor adj array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:12
S7	2	("4707573").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 10:23
S8	47	@ad<"20020927" and ((radiat\$3 leaky) near cable) and broadband and digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:25
S9	0	S8 and rotary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:26
S10	12	@ad<"20020927" and ((radiat\$3 leaky) adj cable) and broadband and digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:34

S11	0	@ad<"20020927" and ((radiat\$3 leaky) adj cable) same bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:38
S12	1	@ad<"20020927" and ((radiat\$3 leaky) adj cable) and bluetooth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:38
S13	111	@ad<"20020927" and (broadband and (near-field "near field")).bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:39
S14	57	S13 and antenna.bsum.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:40
S15	3	S14 and (bluetooth piconet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:41
S16	4	S13 and (bluetooth piconet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:42
S17	4	S16 and antenna	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 10:44
S18	26	@ad<"20020927" and ((adjust\$3 chang\$3) near4 ((data transmission) adj rate) near5 (quality BER (bit adj error adj rate) SNR SIR)) same (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:18

S19	0	S18 and (low adj power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:20
S20	0	S18 and (bluetooth piconet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:22
S21	4	S2 and (bluetooth piconet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:22
S22	0	S2 and ((leaky radiat\$3) adj cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:25
S23	0	S2 and (long adj antenna)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:25
S24	5	S2 and (low adj power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:25
S25	4	@ad<"20020927" and ((leaky radiat\$3) adj cable) and ((adjust\$3 chang\$3 lower\$3 increas\$3 decreas\$3) near4 ((data transmission) adj rate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/24 11:33
S26	10	((("5465395") or ("4428078") or ("5230085") or ("4835604"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/24 13:18

S27	10	((("5465395") or ("4428078") or ("5230085") or ("4835604"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 16:31
S28	2	S27 and retransmi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 16:31
S29	26	@ad<"20020927" and ((adjust\$3 chang\$3) near4 ((data transmission) adj rate) near5 (quality BER (bit adj error adj rate) SNR SIR)) same (base adj station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 16:31
S30	16	S29 and retransmi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 16:31
S31	3	S30 and adapt\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 17:14
S32	1	S31 and dynamically	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 17:14
S34	1	S31 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 17:15
S35	10025	@ad<"20020927" and (near-field ("near" adj field))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 14:03

S36	10	S35 and ((select\$3 adjust\$3 configur\$3 reconfigur\$3 re-configur\$3 chang\$3) near2 (data near2 (size rate)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 14:04
S37	42	@ad<"20020927" and 455/40-41.3.ccls. and serial near (data stream)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 14:13
S38	10	S37 and conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 14:13
S39	40	"539551"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:00
S40	2	("5133417").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/16 15:00
S41	3	@ad<"20020927" and 455/40-41.3.ccls. and (chang\$3 adjust\$3) near2 (data baud) near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:05
S42	4	S37 and retransmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:09
S43	0	@ad<"20020927" and 455/40-41.3.ccls. and ((chang\$3 adjust\$3 select\$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:31

S44	0	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:32
S45	0	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) same ((condition characteristic temperature quality) near2 conductor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:32
S46	48	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) same conductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:32
S47	0	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 antenna)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:33
S48	4	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:33
S49	653	@ad<"20020927" and inductive near transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 15:45
S50	29	@ad<"20020927" and ((chang\$3 adjust\$3 select \$3) near2 (data baud) near rate) near10 ((condition characteristic temperature quality) near2 (link path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:05
S51	10	S50 and retransmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:06

S52	2	S50 and (request\$3 near3 retransmi\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:08
S53	90	@ad<"20020927" and 455/40-41.3.ccls. and (two-way bidirectional) near communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:09
S54	9	S53 and (near-field "near field")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:09
S55	1	S54 and retransmi\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/16 16:11
S56	4	(MC68HC705C8 MC68HC11A8) and ((data transmission bit) adj rate) near4 (chang\$3 adjust\$3 conver\$4 adapt \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 17:23
S57	9	@ad<"20020927" and (adjust\$3 chang\$3 conver \$4 adapt\$3) near4 ((data transmission bit) adj rate) with microcontroller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 17:31
S59	2	S57 and (serial near input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 17:35
S60	4	S57 and (coupling inductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/02 17:35

12/ 3/ 2009 2:09:41 PM

C:\ Documents and Settings\ zlu\ My Documents\ EAST\ Workspaces\ 10674877.wsp